

Certificate of Analysis

Page | 1

Cannabis Care

License: Personal Use Sample Amount Submitted: 1g

Sample Received: 04/09/2024 Report Created: 04/15/2024

Sample: Pink Crasher Crasher Diamonds

Sample Description: Cannabis Concentrate

Total THC %*	Total CBD %*	Total Cannabinoids %
86.52	0.11	99.40

Cannabinoid	LOQ/ LOD %	Percent by Weight	mg/g
THC Acid	0.01	96.715	967.15
Δ9-ΤΗС	0.01	1.696	16.96
THCV Acid	0.01	0.487	4.87
CBG Acid	0.01	0.237	2.37
CBC-Acid	0.01	0.142	1.42
CBD Acid	0.01	0.120	1.20
CBG	0.01	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBC	0.01	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBD	0.01	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBDV	0.01	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBDV Acid	0.01	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBL	0.01	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBN	0.01	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBN Acid	0.01	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
THCV	0.01	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Δ10-ΤΗС	0.01	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Δ8-ΤΗС	0.01	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>

Method: HPLC-DAD. LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detectable, NR = Not Reported, NT = Not Tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. *When reporting totals, acidic cannabinoids are multiplied by 0.877 to account for loss of mass from decarboxylation upon heating; therefore, this is the POTENTIAL amount upon complete decarboxylation from smoking/ vaping.

PURA ANALYTICAL LABS

Pura Analytical Labs Inc.
Unit 1, 2984 Boys Road, DUNCAN, BC
(250) 929-2002 https://www.puralabs.ca
Health Canada Lic # LIC-LEHSCQYIYN-2022

Denise Johnson
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.